

INNOVATION IN GYNECOLOGY



**ENDOMETRIOSIS:
A SCIENTIFICALLY
PROVEN ADVANCE**

ENDOMETRIOSIS

Key figures

- **1 to 2 out of 10 women** of childbearing age
- **17 million** proven women in Europe
180 million worldwide
- **40%** of women with endometriosis have difficulty conceiving
- The mean recurrence rate after surgery is about **20% after 5 years**
- 1 very long diagnostic time: **7 to 12 years**

Impaired quality of life

ENDOMETRIOSIS

Precursory signs

Pelvic pain




Risk of endometriosis

Risk factors

- ⇒ **Age** (between 25 and 40 years old)
- ⇒ **Family history**
- ⇒ **Nulligests** (women who have never been pregnant)
- ⇒ **Genital anomalies** (stenosis and septate vagina, etc.)


ENDOMETRIOSIS

Change in normal physiological function



- Embryo cells unable to implant
- Displacement of endometrium (ectopic endometrium)
- Irregular cycle
- Loss of endometrial cell membrane equilibrium
- Increased angiogenesis (VEGF)
- Other environmental epigenetic factors (DNMT3L enzyme)

Depth and location




Peritoneum
Ovaries
Fallopian tubes
Uterine wall
Bladder
Rectum
Colon

More rarely:
Small bowel, vulva, vagina
and sometimes even the lungs

ENDOMETRIOSIS

Painful and disabling symptoms



Dysmenorrhoea

Metrorrhagia

Dyspareunia

Hematuria

Rectorragia

Complications



Cysts



Infertility



Sterility



Elevated activin

ENDOMETRIOSIS

The 4 stages of endometriosis

According to the revised American Fertility Society (rAFS) classification, there are 4 stages of endometriosis:

- T1** **Stade 1** or **minimal**, scores **1 to 5**
- T2** **Stade 2** or **mild**, scores **6 to 15**
- T3** **Stade 3** or **moderate**, scores **16 to 42**
- T4** **Stade 4** or **severe**, for scores **over 42**

Limited treatments

SOLUTIONS	EFFECTS	SIDE EFFECTS	FERTILITY INFERTILITY
Hormones	No Evolution	Hormonal disorders at term	Controlled Infertility
Surgery	Positive effect Ablation	Physical and psychological problems	Total Infertility
Nutri Endo	Endometriosis reduction	None	Fertility


INNOVATION

A strategic response to endometrial cell insertion dysfunction

22 years of research on endometriosis

Mechanism of action

- Microdosed oligo-metal complexes act on cell membranes to restore lost homeostasis



- This allows the body to recover its self-regulatory capacity
 - The body functions optimally again
-
- This patented protocol allows an excellent bioavailability and biocompatibility

CLINICAL STUDY

Significant reduction
in pain by **66.1%**
in **91.3%** of women

Proven results

Quick reduction
in pain

Effective results in
91,3% of cases

Scientifically validated results
for 43 patients, over a period of 4 months


● STUDY PARTICIPANTS

GYNECOLOGISTS	12 CENTERS (France and Belgium)
PATIENTS	94 >43
AVERAGE AGE	33 YEARS OLD
AVERAGE DURATION OF PAIN	3 YEARS


CLINICAL STUDY

● ENDOMETRIOSIS STAGE ACCORDING TO AFS_R SCORE

Not evaluated	1,2 %
STAGE I (minimal score 1-5)	0 %
STAGE II (slight score 6-15)	29,4 %
STAGE III (moderate score 16-42)	32,9 %
STAGE IV (severe score >42)	36,5 %




ENDOMETRIOSIS STUDY Nutri Endo vs Placebo



RESULTS OF THE STUDY

The reduction of pain is
considered "significant"
from 33%

(Mark P. Jensen ANS al. American Society - 2003)




* Publications clinical trials Minerva Ginecologica octobre 2020 and Genesis june/july 2020

RESULTS OF THE STUDY

Significant reduction in pain

A 2,5 fold decrease in the use of painkillers



PUBLICATIONS OF THE RESULTS

Scientific journal
MINERVA GINECOLOGICA
October 2020



Scientific journal
GENESIS
June/July 2020

NUTRI ENDO®

Targeted results



- *Clinically proven results*
 - ↳ Pain
 - ↳ Symptoms
- *No side effects*
- *PMA compatible tolerance*
- *Compliance and safety*

An effective and natural solution

Suggested use

- **Prevent endometriosis**
- **Reduce symptoms**

FIRST 2 MONTHS

BLISTER 1

One sequence in the morning

BLISTER 2

One sequence in the evening

- **Consolidate the effects**
- **Prevent recurrence**

FOLLOWING 2 MONTHS*

BLISTER 1

One sequence in the morning

BLISTER 2

One sequence in the evening



One 10 tablet sequence

To be chewed and then swallowed one tablet at a time, once a day and in the given order, tablets 1 to 10 in the series.

Take the tablets in order, starting with No. 1, then o. 2, 3 etc. up to No. 10.

You have taken a full dose when you have chewed and swallowed tablet No.10.

Informations on the back of the blister strip.

7 day course per blister
1 month of intake per box

*The duration depends on the stage of the endometriosis

NUTRI ENDO®

An awaited prescription



In practice

- ➔ 1 sequence of 10 chewable tablets in the morning
- ➔ 1 sequence of 10 chewable tablets in the evening

Without side effects - Compatible with all treatments

BLISTER 1 Composition: Calcium 21.9 mg - 2.7 %*, Magnesium 4.37 mg - 1.2 %*, Zinc 0.8 mg - 8,0 %*, Manganese 0.11 mg - 5.5 %*, Potassium 0.07 mg - < 0.1 %*, Sodium 0.02 mg, Copper 53 mcg - 5.3 %*, Iron 0.26 mcg - < 0.1 %.

Other ingredients: Lactose (excipient), sorbitol (sweetener), magnesium stearate (anti bulking agent). With sweetener.

Trace elements: Zinc acetate, calcium carbonate, magnesium carbonate, manganese carbonate, sodium carbonate, calcium chloride, magnesium chloride, copper gluconate, iron gluconate, manganese gluconate, potassium gluconate, zinc gluconate, sodium iodide, trimagnesium phosphate, zinc sulphate.

BLISTER 2 Composition: Calcium 22.94 mg - 2.8 %*, Magnesium 5.5 mg - 1.5 %*, Zinc 0.54 mg - 5.4 %*, Manganese 0.18 mg - 9 %*, Potassium 0.12 mg - < 0.1 %*, Copper 52 mcg - 5.2 %*, Iron 4.8 mcg - < 0.1 %*, Sodium 0.08 mg.

Other ingredients: Lactose (excipient), sorbitol (sweetener), magnesium stearate (anti bulking agent). With sweetener.

Trace elements: calcium carbonate, copper carbonate, magnesium carbonate, manganese carbonate, copper gluconate, manganese gluconate, potassium gluconate, zinc gluconate, sodium iodide, tricalcium phosphate, trimagnesium phosphate, copper sulphate, magnesium sulphate, zinc sulphate, ferrous sulphate.


*DV: Daily Value

Nutrilab
GYNECOLOGY



INNOVATION IN GYNECOLOGY

Our partners



AMERICAS
NSR - THORELLI & ASSOCIATES
T70 West Madison Street, Suite 5750
Chicago, Illinois 60602
USA
+1 (786) 454 24 64
www.getmynutri.com

EUROPE - ME&A
128, rue de la Boétie
75008 - PARIS
FRANCE
01 88 61 55 32
www.laboratoiresnutrilab.com

ASIA - PACIFIC
Distribution Asiatique Pte Ltd
85 Ubi Road 1, - 02-73 Oxley Bizhub 1
Singapore 408729
SINGAPORE
+ 65 6284 3440
contact@distrasia.com